

# DIND48 Size Electronic Counter LC4H-L



\* Refer to our website for details of product c Nus ( C RoHS compliance LC4H-L DIN 48 Size Electronic Counter



### Features

- Display is a bright reflective-type LCD
- Inherits all of the characteristics of LC4H electronic counter (Easy operation, shortened body and IP66 environmental protection)
- Replaceable panel cover Panel design can be changed from standard (ash gray) to black (sold separately)
- Reasonable price

## **Economical electronic counters**

## PRODUCT TYPES

Digit	Count speed	Output mode	Output	Operating voltage	Power down insurance	Terminal type	Model No.
4	30 Hz/ 5 kHz switchable	<ul> <li>Maintain output/hold count</li> <li>Maintain output/over count I</li> <li>Maintain output/over count II</li> <li>One shot/over count</li> <li>One shot/recount I</li> <li>One shot/recount II</li> <li>One shot/hold count II</li> <li>(7 modes)</li> </ul>	Relay output (1 Form c) (8 pin type is 1 Form a)	100 to 240 V AC	Available	8 pins	LC4HL8-R4-AC240V
						11 pins	LC4HL-R4-AC240V
						Screw terminal	LC4HL-R4-AC240VS
				24 V AC/DC		8 pins	LC4HL8-R4-AC24V
						11 pins	LC4HL-R4-AC24V
						Screw terminal	LC4HL-R4-AC24VS
				12 to 24 V DC		8 pins	LC4HL8-R4-DC24V
						11 pins	LC4HL-R4-DC24V
						Screw terminal	LC4HL-R4-DC24VS
			Transistor output (1 Form a)	100 to 240 V AC		8 pins	LC4HL8-T4-AC240V
						11 pins	LC4HL-T4-AC240V
						Screw terminal	LC4HL-T4-AC240VS
				24 V AC/DC		8 pins	LC4HL8-T4-AC24V
						11 pins	LC4HL-T4-AC24V
						Screw terminal	LC4HL-T4-AC24VS
				12 to 24 V DC		8 pins	LC4HL8-T4-DC24V
						11 pins	LC4HL-T4-DC24V
						Screw terminal	LC4HL-T4-DC24VS
6			Relay output (1 Form c) (8 pin type is 1 Form a)	100 to 240 V AC		8 pins	LC4HL8-R6-AC240V
						11 pins	LC4HL-R6-AC240V
						Screw terminal	LC4HL-R6-AC240VS
				24 V AC/DC		8 pins	LC4HL8-R6-AC24V
						11 pins	LC4HL-R6-AC24V
						Screw terminal	LC4HL-R6-AC24VS
				12 to 24 V DC		8 pins	LC4HL8-R6-DC24V
						11 pins	LC4HL-R6-DC24V
						Screw terminal	LC4HL-R6-DC24VS
			Transistor output (1 Form a)	100 to 240 V AC		8 pins	LC4HL8-T6-AC240V
						11 pins	LC4HL-T6-AC240V
						Screw terminal	LC4HL-T6-AC240VS
				24 V AC/DC		8 pins	LC4HL8-T6-AC24V
						11 pins	LC4HL-T6-AC24V
						Screw terminal	LC4HL-T6-AC24VS
				12 to 24 V DC		8 pins	LC4HL8-T6-DC24V
						11 pins	LC4HL-T6-DC24V
						Screw terminal	LC4HL-T6-DC24VS

\* A rubber gasket (ATC18002) and a mounting frame (AT8-DA4) are included.

#### Disclaimer

The applications described in the catalog are all intended for examples only. The purchase of our products described in the catalog shall not be regarded as granting of a license to use our products in the described applications. We do NOT warrant that we have obtained some intellectual properties, such as patent rights, with respect to such applications, or that the described applications may not infringe any intellectual property rights, such as patent rights, of a third party.



# Panasonic Industry Co., Ltd.

Industrial Device Business Division 7-1-1, Morofuku, Daito-shi, Osaka 574-0044, Japan industrial.panasonic.com/ac/e/